

INK SERIES	SERIES 711	SERIES 712	SERIES 747	SERIES 751	SERIES 752	SERIES 786	SERIES 792
SYSTEM	S 1C	S 1C	UV	S 2C	S	S 2C	S 2C
ABS / SAN	★		★	★ H	★ (H)	★ H	
Acrylics (PMMA)	★		★	★ H	★ (H)	★ H	
Duroplastics			★	★ H	★ (H)	★ H	
Glass & Ceramic			★	★ H			
Laquered surfaces	★		★	★ H	★ (H)	★ H	★ H
Metal			☆	★ H	☆ (H)	★ H	
PET-A	★		★		★ (H)	★ H	
PET-G					★ (H)		
Polyamid (PA)			★	★ H	★ (H)	★ H	
Polycarbonate (PC)	★		★	★ H	★ (H)	★ H	
Polyester	☆		☆	★ H	★ (H)	★ H	
Polyethylene (PE)			★🔥	★🔥H	★🔥(H)	★🔥H	
Polyoxymethylene (POM)				★ H			
Polypropylene (PP)		★	★🔥	★🔥H	★🔥(H)	★🔥H	
Polystyrole (PS)	★		★		★ (H)	★ H	
PVC, rigid	★		★	★ H	★ (H)	★ H	
PVC, soft	★		★		★ (H)		
TPE / Rubber							★ H
Tritan™ (Copolyester)						★ H	

INDEX      **S** = Solvent      **WB** = Water based      **UV** = UV curing      ★ = suitable      ☆ = Inspection necessary      **H** = Hardener      **(H)** = Also 1C processable      🔥 = only after pre-treatment

More detailed information is contained in the technical data sheet ([www.printcolor.swiss/tds](http://www.printcolor.swiss/tds)).